JOKARI®
original

Precision Cable-Stripping Tools

The JOKARI cable database – thousands of cables with one click

Which tool is best to strip that cable professionally? The JOKARI cable database will answer this question. The user enters the available cable type and the database looks for the optimal tool in seconds.

JOKARI offers more than 70 tools for stripping wires. The database supports the users to find fast and easy solution. Anytime and anywhere accessible via Internet, the database helps to find a professional stripping solution. The use of the database is very simple: At **http://wire.jokari.de** the user enters the name of the cable and the key-word-search suggests a cable list. From that list, the user selects the suitable cable type and the result is a tool recommendation plus a detailed description with text and photo. A link to the homepage www.jokari.de offers additional information and often an application video.

As new cables are developed permanently, the database could never be completed. It will be constantly updated in dialog with users.

http://wire.jokari.de

If a cable could not be found, JOKARI will add this to the database. Just send a message with information about cable type or name and number of inner conductors and the cross-section via Facebook, email, fax or phone.

Precision Cable-Stripping Tools

Content | Page

Cable Knives **4**
- Cable Knife Standard Version 6
- Cable Knife SECURA 8

Cable Strippers **10**
- Universal Stripper 12
- Super Stripper SECURA 13
- Various Cable Strippers 14
- Coaxial Cable Stripper 15
- Stripper Fiber Optics & Network Cables 16
- Stripper Network & Energy Cables 17

Wire Strippers **18**
- Multi-Talent QUADRO 20
- Wire Strippers 22

Micro-Precisions Wire Strippers **26**

Notes **30**

QR-Code Statements **31**

JOKARI® original

Cable Knives

Proven a million times over, the JOKARI cable knife is the tool of choice for stripping all standard round cables. Each JOKARI cable knife benefits from special Titanium-Nitride coating (TIN) to achieve longer life, faster cutting, and less wear. A practical extra is the spare blade with TIN coating included in the handle.

Cable Knife SECURA 2-Component Design
The unique feature of this knife is the slip-proof handle grip with soft thumb protector. The user benefits from a more secure grip achieved by the non-slip padding.

The JOKARI original.

4 011391 103504

No. 35 Standard
27-35 mm Ø
Art.-No. 10350

4 011391 105003

No. 50 Standard
35-50 mm Ø
Art.-No. 10500

4 011391 102712

No. 27 ISO
Completely insulated cable knife
8-28 mm Ø, full-plastic body
design (except the internal blade)
Art.-No. 10271





4 011391 101623

No. 16 Standard
4-16 mm Ø
Art.-No. 10162

4 011391 102729

No. 27 Standard
8-28 mm Ø
Art.-No. 10272

4 011391 102859

No. 28 G Standard
8-28 mm Ø, with straight blade
Art.-No. 10285

4 011391 102828

No. 28 H Standard
8-28 mm Ø, with hooked blade
Art.-No. 10282

4 011391 101609

No. 16 Secura
4-16 mm Ø
Art.-No. 10160

4 011391 102705

No. 27 Secura
8-28 mm Ø
Art.-No. 10270



The JOKARI Advantage:
Titanium-Nitride (TIN) Coating
- Fast cutting
- Reduced wear
- Longer life

Protection Cap with Hook and Large Adjustment Screw
With its securely locking protection cap, the Secura cable knife can be handled perfectly. The large adjustment screw (Ø >23%) allows for effortless adjustments.

4 011391 102811

No. 28 G Secura
8-28 mm Ø, with straight blade
Art.-No. 10281

4 011391 102804

No. 28 H Secura
8-28 mm Ø, with hooked blade
Art.-No. 10280



JOKARI® original

Cable Strippers

The Jokari cable strippers are a must-have on every building site because of their comfortable and effective use. These tools impress with their easy-of-use and high-end quality. Original JOKARI cable strippers allow effortless work even in tight or hard-to-reach places.

Cable stripping made easy.

4 011391 301207

Universal Stripper No. 12
Universal stripper for stripping all standard round cables with diameters from 8 to 13 mm Ø, including NYM 3x1.5 to 5x2.5 mm².
No cutting depth adjustments required.
Range: round cable diameters from 8 to 13 mm Ø
TIN-coated blades
Art.-No. 30120



4 011391 301559

SECURA No. 15
Range: round cable diameters from 8 to 13 mm Ø,
e.g. NYM 3x1.5 to 5x2.5 mm²
TIN-coated blades
Art.-No. 30155



SECURA No. 15

- Secure grip achieved by introducing soft padding for non-slip grips.
- Technically improved functionality.
- New locking mechanism prevents the unwanted opening of the tool.
- Absolutely straightforward longitudinal cuts – with innovative internal cable duct.
- Redesigned blade layout and intake to stop cable waste from jamming the tool.
- Durable and ergonomically designed pocket clip.





4 011391 301405

No. 14 Strip
Stripper tool for all standard PVC-insulated round cables with diameters from 4 to 13 mm Ø and flat cables with widths of up to 12 mm. Hold the stripper tool tight and remove the insulation. With stripper blade for individual cable strands and cutting cables.
Art.-No. 30140

4 011391 304000

UNI-PLUS
Cable Stripper for building installation and industrial cables with diameter from 8 to 15 mm, including stripping device and length stop for inner conductors 1.5 and 2.5 mm²
Range: round cable diameters from 8 to 15 mm
Art.-No. 30400





4 011391 306004

SECURA Coaxi No. 1
Cable stripper for all standard coaxial cables, including TV-Coax, RG 58U/RG 59U; PVC-Flex 3x0.75 mm². With length scale.
Range: round cables with diameters from 4.8 to 7.5 mm Ø
TIN-coated blades
Art.-No. 30600

4 011391 301009

Top Coax
Cable stripper for all standard coaxial cables, including TV-Coax, RG 58U/RG 59U, PVC-Flex 3x0.75 mm². Integrated length scale from 5 to 20 mm, unlimited stripping range
Range: round cables with diameters from 4.8 to 7.5 mm Ø
TIN-coated blades
Art.-No. 30100



4 011391 308008

Fibre-Strip LC
stripping tool to slite open the outer sheath of distribution cables, e.g. fibre optic cables I-VHH 24xSinglemode with diameter 8.2 mm
Art.-No. 30800

4 011391 307001

Fibre-Strip DC
stripping tool for fibre optic cables, e.g. DAC-Direct Access Cable with diameter 5.9 mm
Art.-No. 30700



4 011391 301610

PC-Cat
Special sheathing and insulation stripping tool for PVC-insulated data communication and controller connections (e.g. Cat5, Cat6, Cat7, twisted-pair, network, and thinly insulated cables).
Range: round cables from 4,5 to 10 mm Ø, conductors 0.2, 0.3, and 0.8 mm²
TIN-coated blades
Art.-No. 30161

4 011391 301603

PC-Strip
Special sheathing and insulation stripping tool for PVC-insulated data communications cables, control cables and various Ölflex-types.
Range: round cables with diameters from 5 to 13 mm Ø, conductors 0.2, 0.3, 0.8, 1.5, 2.5, 4.0 mm²
TIN-coated blades
Art.-No. 30160

4 011391 305007

No.1-Cat
Designed for use on PVC-insulated data cables with thin insulation (e.g. Cat5, Cat6, Cat7, Twisted –Pair-Cable). Strip outer insulation and foil sheathing with one tool easily and quickly. Range: round cables from 4,5 to 10 mm Ø
TIN-coated blades
Art.-No. 30500



SE-Strip
Quick and precise stripping of all standard energy and security cables, double shielded solar cables, shortcircuit and grounding-proof, flameretardant, halogen free cables (e.g. NSGAFÖU, VER H07RN-F), with integrated length stopper from 8 to 12 mm

4 011391 301801

Range:
1,5 mm²
Art.-No. 30180

4 011391 301900

Range:
2,5 bis 6,0 mm²
Art.-No. 30190

4 011391 302006

Range:
10/16 mm²
Art.-No. 30200

JOKARI® original

Wire Strippers

Many industrial applications require utmost precision and perfection from wire strippers. These specialist tools are indispensable helpers for all switchboard construction, mechanical and plant engineering and industrial cabling purposes. A JOKARI exclusive.

The automatic wire strippers convince with their exceptional quality and practical functionality. With their ergonomically perfect design, they are easy and safe to use even in hard-to-reach places. Their long life and wear-proof quality will not fail to impress their users anew on every single day.

Perfection in every detail.

4 011391 600003

Set
Stripper with case and three magazines
Art.-No. 60000





4 011391 610002

Multi-Talent QUADRO
The unmatched integration of four different functions:
Cutting – insulation stripping – twisting – crimping. The quick reloading of connector sleeves by switching magazines enables fast and efficient work.
Range: cross sections from 0.5 to 2.5 mm²
Art.-No. 61000

4 011391 200500

Super 4 plus
Ergonomic, automatic wire stripper for cross sections from 0.2 to 6 mm². Wire cutter for cross sections up to 2.5 mm². Length stopper adjustable from 6 to 15 mm. Plier handle design with lockable grip.
Art.-No. 20050

4 011391 201002

SECURA Soft Grip
Ergonomic, automatic wire stripper for solid and stranded wires with cross sections from 0.2 to 6 mm². Wire cutter for cross sections up to 2.5 mm². Length stopper adjustable from 6 to 18 mm. Plier-handle design with soft, non-slip safety grip. No diameter adjustments required. Exchangeable blades.
Art.-No. 20100

4 011391 200906

No. 6-16²
Automatic wire stripper for conductor cables with cross sections from 6 to 16 mm². Also suitable for stripping the sheathing of PVC-Flex 3x0.75 mm² and solar cables with jointed cable sheatings (e.g. Solarflex®, Energyflex).
No diameter adjustments required.
Art.-No. 20090

4 011391 203006

Sensor Special
Automatic wire stripper for stripping combination cables for sensor-actuator junctions / bus couplers connections. The internal conductors and shielding are not cut or damaged. The cable duct in the stripper handle allows the unlimited stripping of data cables.
Range: halogen-free sensor-actuator cables with PUR or PVC insulations, 3 to 8-strand sensor-actuator cables with PUR or PVC insulations, 3 to 8-strand cable layouts, shielded or unshielded (e.g. 3x0.34 mm² unshielded to 8x0.25 mm² shielded).
Art.-No. 20300





4 011391 200302

Flat Cable Stripper
Automatic stripper for PVC-insulated flat cables with widths of up 12 mm and cross sections from 0.75 to 2.5 mm².
Removes the external sheathing and internal insulation.
No adjustments required.
Art.-No. 20030



4 011391 200708

AS-Interface Special
Automatic wire stripper for AS-Interface cables with PUR or TPE insulation. Full protection for the internal conductors.
Art.-No. 20070



4 011391 202559

Outlet Special 55
Wire stripper for de-insulating cable sections of 55 mm. Ideal for working in tight spaces, such as cable ducts, or the connecting system Cable Outlet. Cable types NYM 3x1.5 mm² to 5x1.5 mm².
Art.-No. 20255

4 011391 202207

Outlet Special 20
Wire stripper for de-insulating cable sections of 20 mm for connecting monitoring systems or potential equi-valization purposes. Range: Selected round cable types from 7.5 to 9 mm Ø, including coaxial cables, and shielded or unshielded monitoring or control cables (max. 1.65 mm insulation).
Art.-No. 20220

4 011391 204508

High Strip
Automatic wire stripper for conductors with problematic isolations 0.5 to 4 mm², such as rubber, silicone, TPE, etc., including an adjustable length stop from 5 to 15 mm.
Art.-No. 20450

4 011391 200609

Special
Ergonomic, automatic wire stripper for cross sections from 0.5 to 6 mm² with side cutter for CU wires of up to 2.0 mm Ø. Length stopper adjustable up to 18 mm.
Art.-No. 20060

JOKARI® original

Micro-Precisions Wire Strippers

JOKARI provides specialist solutions for stripping data and network, solar and flat cables. Micro-strippers strip delicate wires or stranded cables quickly and precisely.

In building services, such as the installation of intercom or telecommunications equipment, special tools are required in order not to damage the fine conductors by stripping. JOKARI's micro-precisions wire strippers offer the special solution for fast, safe and precise stripping of delicate wires and strands.

The specialist's choice.

PWS-PLUS Serie

For electronic, telecommunications and modelling purposes. With adjustable length stopper and integrated cutter for cable diameters of up to 0.8 mm Ø. Lightweight design. PWS-PLUS Series (yellow models) with adjustable stripping range and SWS-PLUS Series (grey models) with fixed stripping diameter. Ideal for PVC, TEFLON, KYNAR, TEFZEL, MYLAR cables with diameters from 0.12 to 1.00 mm Ø (36 – 18 AWG).

PWS-PLUS Series Range:

0,12 to 0,40 mm Ø	36-26 AWG	PWS-PLUS 001	**Art.-No. 40024**	4 011391 400245
0,25 to 0,80 mm Ø	30-20 AWG	PWS-PLUS 002	**Art.-No. 40025**	4 011391 400252
0,30 to 1,00 mm Ø	28-18 AWG	PWS-PLUS 003	**Art.-No. 40026**	4 011391 400269

SWS-PLUS Serie

SWS-PLUS Series Range:

0,12 mm Ø	36 AWG	SWS-Plus 012	**Art.-No. 40015**	4 011391 400153
0,16 mm Ø	34 AWG	SWS-Plus 016	**Art.-No. 40035**	4 011391 400351
0,20 mm Ø	32 AWG	SWS-Plus 020	**Art.-No. 40045**	4 011391 400450
0,25 mm Ø	30 AWG	SWS-Plus 025	**Art.-No. 40055**	4 011391 400559

SWS-PLUS Series Range:

0,30 mm Ø	28 AWG	SWS-Plus 030	**Art.-No. 40065**	4 011391 400658
0,40 mm Ø	26 AWG	SWS-Plus 040	**Art.-No. 40075**	4 011391 400757
0,50 mm Ø	24 AWG	SWS-Plus 050	**Art.-No. 40085**	4 011391 400856
0,60 mm Ø	22 AWG	SWS-Plus 060	**Art.-No. 40095**	4 011391 400955
0,80 mm Ø	20 AWG	SWS-Plus 080	**Art.-No. 40105**	4 011391 401051
1,00 mm Ø	18 AWG	SWS-Plus 100	**Art.-No. 40115**	4 011391 401150

ESD-PLUS Serie

Ideal for electronics and IT applications. Adjustable stripping diameter from 0.12 to 1.00 mm Ø (36 – 18 AWG). With length stopper and integrated cutting function for cables of up to 0.8 mm Ø. Body made from specialized conducting plastic.

ESD – PLUS Range:

0,12 to 0,40 mm Ø	36-26 AWG	ESD-Plus 001	**Art.-No. 40027**	4 011391 400276
0,25 to 0,80 mm Ø	30-20 AWG	ESD-Plus 002	**Art.-No. 40028**	4 011391 400283
0,30 to 1,00 mm Ø	28-18 AWG	ESD-Plus 003	**Art.-No. 40029**	4 011391 400290

QR-code the connection between the print and virtual world

JOKARI uses QR codes in catalogs, advertisements, on product packaging or promotional material to illustrate the operation of stripping tools. QR is an abbreviation for „quick response".
The user scans the QR-code with a smartphone or tablet computer and finds additional information immediately, such as a video showing the respective tool in the application. Depending on the operating system, small programs „apps" are used which are usually available free of charge. Modern scanners for QR codes show in the first step only the link in plain text so that the user realizes, whether he is on his way to the page. For reasons of safety this is recommended.

JOKARI-Krampe GmbH
Cable & Wire Stripper
An der Vogelrute 34
D-59387 Ascheberg-Herbern
Germany

fon +49 25 99 - 12 89
fax +49 25 99 - 71 51

info@jokari.de
www.jokari.de

facebook jokari4u
skype jokari-krampe_gmbh

tacheles -vision in projects- JOKARI 03/2012 V2gb